



**Suco Technologies, Inc.**  
 6560 W. Rogers Circle, Suite 22 | Boca Raton, FL 33487  
 Office: 561-989-8499 Fax: 561-989-8816  
[info@suco-tech.com](mailto:info@suco-tech.com) [www.suco-tech.com](http://www.suco-tech.com)

## Questionnaire Pressure and Vacuum Switches

Customer:			
Address:			
Contact person:		Division:	
Email:	Phone:	Fax:	
<input type="checkbox"/> Manufacture of components	<input type="checkbox"/> Service	<input type="checkbox"/> OEM	<input type="checkbox"/> Dealer <input type="checkbox"/> End customer
Project:		<input type="checkbox"/> new	<input type="checkbox"/> redesign
Estimated annual usage:		Samples needed by	
Target price:			

### Operating conditions

Explanation of the function/application:			
Media:			
Media temperature:	<input type="checkbox"/> °F <input type="checkbox"/> °C	Ambient temperature:	<input type="checkbox"/> °F <input type="checkbox"/> °C
Set point:	<input type="checkbox"/> PSI <input type="checkbox"/> bar	<input type="checkbox"/> rising	<input type="checkbox"/> falling
Reset point:	<input type="checkbox"/> PSI <input type="checkbox"/> bar <input type="checkbox"/> mbar	<input type="checkbox"/> rising	<input type="checkbox"/> falling <b>or</b> Differential:
Set points:	<input type="checkbox"/> factory set	<input type="checkbox"/> adjustable from	to
Switching frequency:	<input type="checkbox"/> Hz	Life time:	cycles
Switching frequency:	<input type="checkbox"/> continuous <input type="checkbox"/> irregularly	<input type="checkbox"/> cycles per day	<input type="checkbox"/> one-time
Max. system pressure:	<input type="checkbox"/> PSI <input type="checkbox"/> bar	Min. system pressure:	<input type="checkbox"/> PSI <input type="checkbox"/> bar
Profile of pressure:	<input type="checkbox"/> static <input type="checkbox"/> dynamic	Pressure ramp rate:	<input type="checkbox"/> PSI/ms <input type="checkbox"/> bar/ms
Shock load:	<input type="checkbox"/> g	Vibrations:	<input type="checkbox"/> ft/s <sup>2</sup> <input type="checkbox"/> m/s <sup>2</sup>

### Electrical data

Voltage:	<input type="checkbox"/> V AC	<input type="checkbox"/> V DC
Load:	<input type="checkbox"/> A <input type="checkbox"/> mA	<input type="checkbox"/> resistive <input type="checkbox"/> inductive <input type="checkbox"/> capacitive <input type="checkbox"/> inrush
Switching function:	<input type="checkbox"/> SPST-NO	<input type="checkbox"/> SPST-NC <input type="checkbox"/> SPDT (snap action micro switch)

### common data

Media connection (thread):	Degree of protection IP:
Electrical connection:	<input type="checkbox"/> spade terminals <input type="checkbox"/> screw terminals
<input type="checkbox"/> cable length:	<input type="checkbox"/> inch <input type="checkbox"/> mm <input type="checkbox"/> incl. connector <input type="checkbox"/> without connector
Connector- / cable:	
Material of housing:	<input type="checkbox"/> zinc-plated steel <input type="checkbox"/> stainless steel <input type="checkbox"/> brass
Remarks:	